Attorney's Docket 008601-0307943 Client Reference: 89G37090-USA-A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation Number: 2672

TOMOYUKI ITO ET AL.

Application No.: 10/767,397

Group Art Unit: 3663

Filed: January 30, 2004

Examiner: MONDT, Johannes P.

For: METHOD AND APPARATUS FOR EXECUTING AN OPERATION IN A

PRESSURE VESSEL OF A NUCLEAR REACTOR

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

FEES

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT	PREV	EST NO. IOUSLY D FOR		ESENT KTRA		RATE	~		ADDIT. FEE	
TOTAL	29		29	=	0	х	\$		=	\$	
INDEP.	3	_	3	=	0	x	\$			\$	
FIRST P	RESENTATION	OF M	ULTIPLE	DEP.	CLAIM	+	\$		=	\$	0.00
TOTAL ADDITIONAL CLAIM FEE LESS PREVIOUS EXTENSION FEES PAID GRAND TOTAL										\$	
										\$	
										\$	0.00

FEE PAYMENT

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above. A duplicate of this paper is attached.

Date: April 26, 2007

PILLSBURY WINTHROP SHAW PITTMAN LLP

P.O. Box 10500

McLean, VA 22102

WILLIAM D. TITCOMB

Reg. No. 46463



REPLY UNDER 37 C.F.R. § 1.116 EXPEDITED PROCEDURE TECHNOLOGY CENTER ART UNIT 3663

Attorney Docket: 008601-0307943 Client Reference: 89G37090-USA-A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of: TOMOYUKI ITO, et al. Confirmation Number: 2672

Application No.: 10/767,397 Group Art Unit: 3663

Filed: January 30, 2004 Examiner: MONDT, Johannes P

Title: METHOD AND APPARATUS FOR EXECUTING AN OPERATION IN A

PRESSURE VESSEL OF A NUCLEAR REACTOR

AMENDMENT UNDER 37 C.F.R. § 1.116

Mail Stop AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated February 9, 2007, the date for response being May 9, 2007, please amend the above-captioned application as follows: